

Requirements and Job Scopes

1 General

- 1.1 The contract is for the replacement of hydraulic hoses for ground support equipment used for aircraft ground handling.
- 1.2 The contract will be for a period of Five years may be extended for two years
- 1.3 The current list of Ground support equipment that will be covered under the contract is attached as Annex B. The list could change from time to time depending on business conditions.
- 1.4 Labour supplied for the contract must be knowledgeable, competent and skillful in the Hydraulic system and replacement of Hydraulic hoses.

2 Scope of Works

- 2.1 The jobs generally comprise the replacement of High/Low pressure Hydraulic hose and converting steel pipes instead of hydraulic hose on areas of less movement and minimize use of hydraulic hoses. The specification of the Hydraulic hose is attached as Annex A
- 2.2 The contractor is to provide labour, high quality hydraulic hoses and all other necessary spares.
- 2.3 SATS will have the sole discretion to decide number of units should be involved in the hose replacement program.
- 2.4 The contractor is required to submit completed test results of each completed unit and daily reports of the status of units is works in progress.
- 2.5 All jobs are to be completed up to SATS' satisfaction and within 20 working days.

3 Workshop Operations

- 3.1 The jobs may be carried out at SATS Maintenance Centre (SMC) at 34, Changi North Crescent.
- 3.2 The services are to be provided from Mondays to Friday, excluding Saturday Sunday and public holidays. (Time: 0800hrs to 1700hrs)

- 3.3 The contractor is required to provide basic tools, testing machines, etc; and is responsible for the safety and good housekeeping of workshop operations and for ensuring work is carried out in accordance with the requirement of ISO14001 & all MOM Regulation.

4 Warranty

- 4.1 The contractor is expected to carry out the Job based on good engineering practices. Inferior quality workmanship or Hydraulic Hose are grounds for rejection and the contractor is to make good the defects at his own cost.
- 4.2 The following warranty periods are applicable: -
- a) Workmanship 36 month
 - b) Hydraulic hose 36 months
- 4.3 During the warranty period any hydraulic spillage incur in Tarmac areas due to poor workmanship or Hose failure. The cleaning cost should bear by the contractor.

5 Liquidated Damages

- 5.1 Should a job could not be completed on time, as defined in 2.5, because of unforeseen circumstances beyond the control of the contractor, liquidated damages will be charged at 1% of the total cost of each unit from the contractor for each day the target is not met.

6 Company Background

- 6.1 Attach as Annex A background information on the company tendering for the project and include details such as location(s), year of experience in work relevant to the job under tender, size of workforce by skill type, ISO certifications awarded, and any other information relevant to the tender.

7 Tender Submissions

7.1 Tenderers are to submit the following:-

1. Specification for Hydraulic Hose Annex A.
2. Equipment and Prices listed as in Annex B.